



# Film Developing Procedure for Tri-X, 35mm & 120...

		Zone	TX-135
Film	TX 135-36 (Tri-X)		0.00
Exposure Index	200		0.00
Developer	D-76	0	0.02
Dilution	1:2		0.04
Temperature	21°C / 70°F	I	0.08
Prewash	2.00 Minutes, Plain Water		0.17
Develop	9.00 Minutes	II	0.29
Initial Agitation	20 Seconds, Vigorous, Full Inversions		0.42
Thereafter	4 Inversions in 5 Sec. Every 30 Sec.	III	0.55
Stop Bath	30 Seconds		0.68
1st Fix	2 Minutes, Rapid-Fix	IV	0.81
2nd Fix	2 Minutes, Rapid-Fix		0.93
Rinse	1-3 Minutes, Water	V	1.04
Hypo Clear	3 Minutes		1.16
Wash	20-30 Minutes	VI	1.26
Dry	60 Minutes Approx., Air		1.34
		VII	1.41
			1.47
		VIII	1.53
			1.59
		IX	1.66
			1.72
		X	1.78
			1.84
			1.90